

AnyWay

Look Your Best, Feel Your Best

PROFESSIONAL PRODUCTS

Info@liweymed.com
www.liweymed.com

V. 2025

CONTENT



Handpieces
P1 - P7



Endodontic Files
P22 - P23

MicroMotor
P9



Mirrosurgery
P8



Led Curing Light
P10



Dental Resin
P20 - P21

Disposable
P11 - P15



Laboratory
P16 - P17



Autoclave
P18



Oral Hygiene
P19

Air Turbines

Mode : Sinol

Feature : Clean Head System, Single Spray

Ref : AT001



Spec : Ceramic Bearings
Speed : 330,000-350,000 min-1
Standard Head / Torque Head

Air Turbines

Model : Pana-Air

Feature : Clean Head System, Single Spray

Ref : AT002



Spec : Ceramic Bearings
Speed : 330,000-350,000 min-1
Standard Head / Torque Head

Air Turbines

Model : TE-95

Feature : Clean Head System, Single Spray

Ref : AT003



Spec : Ceramic Bearings
Speed : 330,000-350,000 min-1
Standard Head / Torque Head

Air Turbines

Model : WH

Feature : Clean Head System, Single Spray

Ref : AT004



Spec : Ceramic Bearings
Speed : 330,000-350,000 min-1
Standard Head / Torque Head

Air Turbines

Model : TE-98L

Feature : Clean Head System, 8 Spray

Ref : AT005



Spec : Ceramic Bearings
Speed : 330,000-350,000 min-1
Standard Head / Torque Head

Air Turbines

Model : TK-98L

Feature : Clean Head System, 5 Spray, 5 LED

Ref : AT006



Spec : Ceramic Bearings
Speed : 330,000-350,000 min-1
Standard Head / Torque Head

Air Turbines - 45°

Model : X450 / X450L

Feature : Excellent accessibility and visibility

Ref : AT007



2 hole / 4 hole2

Spec : Ceramic Bearings , Single Spray
Speed : 330,000-350,000 min-1
Standard Head

Air Turbines - 45°

Model : W450 / W450L

Feature : Excellent accessibility and visibility

Ref : AT008



hole / 4 hole

Spec : Ceramic Bearings , Single Spray
Speed : 330,000-350,000 min-1
Standard Head

Air Turbines - 45°

Model : N450 / N450L

Feature : Excellent accessibility and visibility

Ref : AT009



2 hole / 4 hole2

Spec : Ceramic Bearings , Single Spray
Speed : 330,000-350,000 min-1
Standard Head

Air Turbines - 45°

Model : Sinol450 / Sinol450L

Feature : Excellent accessibility and visibility

Ref : AT010



hole / 4 hole

Spec : Ceramic Bearings, Triple Spray
Speed : 330,000-350,000 min-1
Standard Head

Air Turbines - Mini Head

Model : Mini / MiniL

Feature : Excellent accessibility and visibility

Ref : AT011



2 hole / 4 hole

Spec : Ceramic Bearings
Speed : 350,000-380,000 min-1
Mini Head

Air Turbines - 45°

Model : X450-C / X450-CL

Feature : Excellent accessibility and visibility

Ref : AT012



NSK Couplings

Spec : Ceramic Bearings, Triple Spray
Speed : 330,000-350,000 min-1
Standard Head

Quick Couplings

Model : CN401

Compatible: NSK 4 Hole

Ref: QC001



Spec : Anti-Retraktion Valve

Quick Couplings

Model : CN402

Compatible : NSK 4 Hole

Ref: QC002



Spec : Anti-Retraktion Valve

Quick Couplings

Model : CK401

Compatible : Kavo 4 Hole

Ref: QC003



Spec : Anti-Retraktion Valve

Quick Couplings

Model : CK402

Compatible : Kavo 6 Hole

Ref: QC004



Spec : Anti-Retraktion Valve

Quick Couplings

Model : CS401

Compatible : Sirona 4 Hole

Ref: QC005



Spec : Anti-Retraktion Valve

Quick Couplings

Model : CS402

Compatible : Sirona 4 Hole

Ref: QC006



Spec : Anti-Retraktion Valve

Quick Couplings

Model : CN601

Compatible: NSK 6 Holes

Ref : QC007



Spec : Anti-Retraction Valve

Quick Couplings

Model : CS601

Compatible : Sirona 6 Holes

Ref : QC008



Spec : Anti-Retraction Valve

Quick Couplings

Model : CK601

Compatible : Kavo 6 Holes

Ref : QC009



Spec : Anti-Retraction Valve

Contra Angles

Size : X95L
Color : Cellular Glass Optics , Clean Head System
Ref : AT013

1:5 Increasing



FG burs (ø1.6)

Spec : Max Speed: 200,000 min-1
Ceramic Bearings , Quattro Spray
Anti Heat System

Contra Angles

Size : Z45L
Color : Cellular Glass Optics , Clean Head System
Ref : AT014

1:5 Increasing



FG burs (ø1.6)

Spec : Max Speed: 200,000 min-1
Ceramic Bearings , Quattro Spray
Anti Heat System

Implant Contra Angles

Model : X-SG20L
Feature : Cellular Glass Optics , Cooling
Ref : AT015

20:1 Reduction



CA burs (ø2.35)

Spec : Max Speed: 2,000 min-1
Max. Torque : 80 Ncm
External and internal cooling

Contra Angles

Model : X25L
Feature : Cellular Glass Optics , Cooling
Ref : AT016

1:1 Direct Drive



CA burs (ø2.35)

Spec : Max Speed: 40,000 min-1
Ceramic Bearings , Single Spray
Anti Heat System

Implant Contra Angles

Model : DSG20L
Feature : Cellular Glass Optics , Cooling
Ref : AT017

20:1 Reduction



CA burs (ø2.35)

Spec : Max Speed: 2,000 min-1
Max. Torque : 80 Ncm , Ceramic Bearings
External and internal cooling

Implant Contra Angles

Model : SG20
Feature : Push Button Chuck ,
Ref : AT018

20:1 Reduction



CA burs (ø2.35)

Spec : Max Speed: 2,000 min-1
Max. Torque : 80 Ncm
Ceramic Bearings , External cooling

Endodontic Handpiece

Model : FCN

Feature : Miniature Head , Push Button Chuck

Ref : AT019

Ni-Ti files (ø2.35)



1:1 Direct Drive

Spec : Max Speed: 10,000 min-1
360° Rotation , External Water Spray

Endodontic Handpiece

Model : FC

Feature : Miniature Head , Push Button Chuck

Ref : AT020

Ni-Ti files (ø2.35)



1:1 Direct Drive

Spec : Max Speed: 10,000 min-1
360° Rotation , External Water Spray

Endodontic Handpiece

Model : F16RN

Feature : Miniature Head , Push Button Chuck

Ref : AT021

Ni-Ti files (ø2.35)



16:1 Reduction

Spec : Max Speed: 650 min-1
360° Rotation , External Water Spray

Endodontic Handpiece

Model : F16R

Feature : Miniature Head , Push Button Chuck

Ref : AT022

Ni-Ti files (ø2.35)



16:1 Reduction

Spec : Max Speed: 650 min-1
360° Rotation , External Water Spray

Endodontic Handpiece

Model : ER106

Feature : Push Button Chuck

Ref : AT023

Ni-Ti files (ø2.35)



16:1 Reduction

Spec : Max Speed: 2,500 min-1
360° Rotation , External Water Spray

Endodontic Handpiece

Model : ER10

Feature : Push Button Chuck

Ref : AT024

Hand files



10:1 Reduction

Spec : Max Speed: 4,000 min-1
60° Twist , External Water Spray

FX Serial

Model : FX205 / FX65 / FX25

Feature : For CA burs (ø2.35), Clean Head System

Ref : M1005001 / H1014001 / C1052001



2 hole / 4 hole

Spec : Max Speed: 22,000 min-1 ±10%
Max Speed: 40,000 min-1
Max Speed: 40,000 min-1

EX Serial

Model : EC / EX-6B / EX-203C

Feature : For CA burs (ø2.35), Clean Head System

Ref : Y110148 / H260001 / C1152001



2 hole / 4 hole

Spec : Max Speed: 22,000 min-1 ±10%
Max Speed: 40,000 min-1
Max Speed: 40,000 min-1

LED Serial

Model : AW100 / AW101 / AW102

Feature : For CA burs (ø2.35), Clean Head System

Ref : AT030 / AT031 / AT032



2 hole / 4 hole

Spec : Max Speed: 22,000 min-1 ±10%
Max Speed: 40,000 min-1
Max Speed: 40,000 min-1

Endodontic Handpiece

Model : NLZ 6:1

Feature : For CA burs (ø2.35), Clean Head System

Ref : AT029



Ni-Ti files (ø2.35)

6:1 Reduction


Spec : Max Speed: 1,000 min-1

20° Angle Handpieces

Model : SGA-ES

Feature : Implant Microsurgery

Ref : AT025



Surgical burs (ø2.35)

Max Speed : 40,000 rpm (1:1)

Bur Specification : CA Φ2.35mm

Standard Coupler , External Waterway

Dental Saw Handpieces

Model : S-8R / S-8 S / S-8 O

Feature : Fast, powerful and durable

Ref : AT026



Transmission ratio: 3,25:1 / 3,25:1 / 3,4:1

Frequency (strokes/min.): 12.300 / 12.300 / 11.800

Drive speed: 40.000 min⁻¹

Dental Implant Torque Wrench

Model : Torq Adjust

Feature : Adjustable Torque Wrench - 16Pcs

Ref : AT027



Compatible : Xive, Ankylos, Osstem, 3I, Megagen, Cortex, Ticare, MIS, ABT, Zimmer, Dentium, Dentis, Adin, EBGO, Astra, Nobel, Straumann, ICX,

Universal Torque Wrench

Model : Torq Control

Feature : Precise Torque Control

Ref : AT028



Torque Range: 10-35 Ncm

Compatible : Anthogyr

Dental Electric Motor

Model : NL400

Feature : High performance brushless motor

Ref : DE001



Connector : ISO-E Type

Working Mode : 1:1 / 1:5 / 16:1

Packing : 22.5*21.3*12cm, 1.2Kgs

Dental Endo Motor Led

Model : Endo Smart

Feature : Wide torque range ,9 Programs

Ref : DE002



Spec : DC3.7V / 950mAh , Auto Stop Reverse
Compatible with most rotary files

Packing : 188*90*85mm , 0.5 Kgs

Apex Locator

Model : Apex-II

Feature : 4.5" LCD Screen Visualization

Ref : DE003



Spec : DC3.7V / 2000mAh , Rechargeable battery
LED indicator & clear bright LCD display

Packing : 133*133*123mm , 0.65Kgs

Endo Activator

Model : DA-1

Feature : Make the root cleaner, improve activation

Ref : DE004



Spec : Facilitates upward debris removal
Cordless ultrasonic operation

Packing : 183*23*43mm , 1Kgs

Dental Ultrasonic Scaler

Model : VRN A8

Feature : Scaling, Perio, Endo irrigation

Ref : DE005



Working Mode : G, P, E

Working Tips : G1, G2, G4, P1, E1


Packing : 34*24*18cm , 2.5 Kgs

Dental Ultrasonic Scaler

Model : VRN A8 - D

Feature : Scaling, Perio, Endo irrigation

Ref : DE006



Working Mode : G, P, E

Working Tips : G1, G2, G4, P1, E1

Packing : 34*24*18cm , 2.5 Kgs

Dental LED Curing Light

Working Model : 1S / 3S / 5S / 10S / 15S / 20S
Specification : 5 W
Ref :



Intensity : 2500mW / cm2
Battery : 3.7V/1500mAh
Packing : 25*18*7cm 0.6Kg

Dental LED Curing Light

Working Model : 1S / 3S / 5S / 10S / 15S / 20S
Specification : 5 W
Ref :



Intensity : 2500mW / cm2
Battery : 3.7V/1500mAh
Packing : 25*18*7cm 0.6Kg

Dental LED Curing Light

Working Model : 1S / 3S / 5S / 10S / 15S / 20S
Specification : 5 W
Ref :



Intensity : 3000mW / cm2
Battery : 3.7V/1800mAh
Packing : 23*14*8cm 0.6Kg

Standard Oral Surgery Kit

Model : Dental Pack

Ref : DD001



- 1 * Surgical Drape 70x75cm with adhesive tape, 2 Layers
- 1 * U Drape 133x100cm, with adhesive hole 6.5x50cm, 2 Layers
- 2 * Adhesive Surgical Drape 75x90cm, 2Layers
- 1 * Back Table Cover 150x160cm
- 2 * SMS Standard Surgical Gown, L
- 1 * Mayo Table Cover 80x145cm
- 4 * Gauze Swab, Dia.3cm
- 2 * Surgical Cap
- 1 * Patient Disinfection Kit (1 Bowl+Medical Swab)
- 1 * Bouffant Cap
- 1 * Aspiration Tubes 2m with Yankuer Tips
- 1 * Waste Bag 22x53cm, Self sealing
- 1 * Transparent PE Drape 40x50cm with adhesive
- 1 * Tubing Sleeve 8x240cm, with carton inserter 7.5x19.5cm

Standard Implant & Oral Surgery Kit

Model : Implant Kit

Ref : DD002



- 1 * Aspiration set with cannula, tubing 2.7 m
- 1 * Bone filter with cannula
- 1 * Universal irrigation set 1 or 2 ways
- 4 * Polyethylene gloves
- 1 * Surgeon cap with tie
- 1 * Hood
- 3 * Surgical face mask with ties
- 2 * Nurse cap with elastic
- 6 * Shoe cover
- 1 * Isolation gown
- 1 * Bag for X-ray tube
- 1 * Dental chair cover 190x105 cm
- 1 * Drape 1500x1500 mm with adhesive
- 1 * Absorbing drape 150x150 cm with adhesive and velcro fixation for tubing
- 2 * Drape 100x100cm with adhesive
- 1 * Drape fenestrated 80x70 cm
- 1 * Drape fenestrated with adhesive in the center 800x700 mm
- 4 * Tubing protection 120x8 cm
- 2 * Scialytic lamp handle cover
- 1 * Plastic bag 80x50cm
- 1 * Support for tubing with adhesive
- 2 * Barrier film blue (30x10cm)
- 2 * Sterile surgical gown
- 2 * Hand towels
- 2 * Adhesive band 50x5cm
- 2 * Nail Brush
- 1 * External irrigation set
- 1 * 1x Saliva ejector
- 2 * Latex free elastic
- 1 * Medical Pouch 42x53cm
- 1 * Crepe Wrap 100x100cm
- 1 * Calipper

Dental Surgical Gown

Model : Surgical

Size : M / L / XL / XXL

Ref : DD003



Material : SMS Fabric , Chest and sleeves area are reinforced , Raglan sleeves , hook and loop neck closures , and tie waist closures.
Packing : 1 Pc / bag , 50 Bags / Ctn

Dental Scrub Suit

Model : Scrub

Size : S / M / L

Ref : DD004




Material : Soft and breathable 3- layer SMS Fabric
V-neck and one breast pocket and 2 hip pocket
Trousers with draw string
Packing : 1 Pc / bag , 50 Bags / Ctn

Dental Headrest Cover

Size : 10x10", 10x13", 13x13"

Color : Blue, Green, Pink, Yellow, Orange, Purple, Black

Ref : DD007



Material : Paper PE Film

Packing : 500 Pcs / Ctn

Dental Apron with Pocket

Size : 37x49cm, 37x60cm, 40x50cm

Color : Blue, Green, White

Ref : DD008



Material : Paper PE Film

Packing : 100 Pcs/Bag, 6 Bag / Ctn

Dental Bib

Size : 33x45cm

Color : Blue, Green, Pink, Yellow, Orange, Purple, Black

Ref : DD009



Material : 2 Ply Paper + 1 Ply PE

1 Ply Paper + 1 Ply PE

Packing : 125 Pcs/Bag, 4 Bags / Ctns

Dental Tray Cover

Size : 8-1/2"x12-1/4", 9-1/2"x12-1/4", 10-1/4"x15-3/4"

Color : Blue, Green, Pink, Yellow, Orange, Purple, Black

Ref : DD010



Material : 55g Paper 70g Paper

Packing : 1000 Pcs/Bag, 1 Bag / Ctns

Digital X-Ray Sensor Sleeve

Size : 1-3/8"x8", 1-5/8"x8"

Color : Transparent

Ref : DD013



Material : PE Film

Packing : 500 Pcs/Box , 36 Boxes / Ctns

Digital Syringe Sleeve

Size : 2.5"x10"

Color : Transparent

Ref : DD014



Material : PE Film

Packing : 500 Pcs/Box , 36 Boxes / Ctns

Head Rest Covers

Size : 11"*9.5", 14"*9.5"

Color : Transparent

Ref : DD015



Material : PE Film

Packing : 500 Pcs/Box , 6 Boxes / Ctns

Full / Half Chair Sleeve

Size : 24"*32", 27.5"*24", 29"*80", 33"*54", 48"*56"

Color : Transparent

Ref : DD016



Material : 55g Paper 70g Paper

Packing : 125 Pcs/Bag , 3 Bags / Ctns

Tray Cover Sleeves

Size : 10-1/2"x14", 7.5"x10.5", 11-5/8"x14.5", 10-5/8"x16"

Color : Transparent

Ref : DD017



Material : PE Film


Packing : 500 Pcs/Box , 6 Boxes / Ctns

Dental Barrier Film

Model : 4" * 6"

Color : Pink , Blue , White , Etc

Ref : DD019



Spec : With non-adhesive edge for quick removal.

Packing : 1200 Pcs /Roll , 8 Rolls / Ctn

Dental Exam Kit

Model : Exam Kit

Feature: high-quality

Ref : DD020



Spec: Dental Mirror. Dental tweezer.
Dental probe. Dental bibs/shawl. Dental tray.

Packing : 200 Kits / Ctn

Disposable Mouth Mirrors

Model : Mirror

Color : Blue, Green, Orange, Purple, Red, Yellow

Ref : DD021



Spec : Glass Lens / Glass Lens with Spatula
PC Lens / PC Lens with Spatula

Packing : 2000 Sets/ Ctn

Cotton Rolls

Model : 38*8mm, 38*9.5mm, 38*12.7mm

Feature: Maintains shape when wet

Ref : DD022



Material : Absorbent 100% Cotton Rolls

Packing : 50 Pcs/ Roll , 40 Rolls / Ctn

Micro Applicators

Model : L, M, S, XS

Color : White, Purple, Yellow, Blue, Green, Orange , Black

Ref : DD023



Material : PE Film

Packing : 100 Pcs/Box , 4 Boxes / Ctn

Cotton Tipped Applicators

Model : 3" , 6"

Ref : DD024



Material : Absorbent Cotton / Wood
Non - Sterile

Packing : 100 Pcs/Bag , 10 Bag / Ctn

Air Water Syringe Tips

Model : Tips
Color : Transparent / Colorful / White
Ref : DD025



Spec : Plastic / Metal
Compatible with American Style Tips
Packing : 250 Pcs/Box , 50 Bags / Ctns

Surgical Aspirator Suction Tips

Model : Tips
Color : Blue, White
Ref : DD026



Packing : 25 Pcs/Bag , 100 Bag / Ctns
50*39*37.5cm , 10.5Kgs

Prophy Rings

Feature : Fully Disposable
Color : Blue
Ref : DD027



Packing : 200 Pcs/Bag , 40 Bag / Ctns
59.5*40.2*49cm , 8.58Kgs

Dappen Dishes

Feature : Fully Disposable
Color : Blue
Ref : DD028



Packing : 100 Pcs/Bag , 10 Bag / Ctns
36.5*26.7*23.5cm , 5.8Kgs

Disposable Trophy Angles Cup

Feature : Ergonomically Designed , Reciprocating
Color : Blue , Green , Purple
Ref : DD031



Packing : 100 Pcs / Box , 20 Boxes / Ctn , 8.1 Kgs

One Screw-In RA Propy Cups

Feature : Screw-In , Latex-Free , Webbed
Color : Assorted Colours
Ref : DD032



Packing : 100 Pcs/ Box , 100 Boxes / Ctn , 5.45Kgs

RA Rainbow Propy Cups

Feature : RA Latch , Latex-Free , Webbed
Color : Assorted Colours
Ref : DD033



Packing : 100 Pcs/ Box , 100 Boxes / Ctn , 9.28Kgs

Disposable Propy Brush

Feature : RA Latch , Latex-Free , Webbed
Color : Assorted Colours
Ref : DD034



Packing : 100 Pcs/ Box , 100 Boxes / Ctn , 12.28Kgs

Disposable Propy Brush

Feature : RA Latch , Latex-Free , Webbed
Color : Assorted Colours
Ref : DD035



Packing : 100 Pcs/ Box , 100 Boxes / Ctn , 12.28Kgs

Disposable Propy Brush


Feature : RA Latch , Latex-Free , Webbed
Color : Bristles
Ref : DD036



Packing : 100 Pcs/ Box , 100 Boxes / Ctn , 17.28Kgs

Endo Ruler

Feature : Plastic , Autoclavable
Length : 100*24*32mm (Gauge: 0-40mm)
Ref: DD037



Packing : 100 Pcs/Box , 36.8*23*16.5cm , 4.28 Kgs

Endo Ruler


Feature : Durable Stainless Steel
Length : 80*12.5*3mm (Gauge: 0-40mm)
Ref: DD038



Packing : 100 Pcs/Box ,

Plastic Rubber Dam Frames

Feature : Autoclavable
Ref: DD039



Packing : 100 Pcs/Box , 21*21*21cm , 1.38 Kgs

Endo Ruler Ring

Feature : Aluminium
Gauge : 0-35mm
Ref: DD040



Packing : 100 Pcs/Box , 25.5*16*12cm , 1.1Kgs

Dental Autoclave

Model : AW17B

Inner Size: 25*38cm Outer Size: 48*56*42cm

Ref :



Heater : 1300W Sterilize Temp : 121°C / 134°C
 Dry Procedure : Vacuum Drying 4-18 Mins
 Packing : 69*60*50cm 47Kgs

Dental Autoclave

Model : AW23B

Inner Size: 25*50cm Outer Size: 48*67*42cm

Ref :



Heater : 1800W Sterilize Temp : 121°C / 134°C
 Dry Procedure : Vacuum Drying 4-18 Mins
 Packing : 81*60*50cm 50Kgs

Dental Sealing Machine

Model : Sealer

Power : 500W

Ref :



Sealing Width : 250mm (Max)
 Press Width : 10mm
 Packing : 42.5*34.5*26mm 7Kgs

Disposable Sterilization Rolls

Size : 6*10cm, 9*26cm, 13.5*28cm, 5*200cm, 7.5*200cm, Etc

Color : Blue, Green, Etc

Ref :



Material : Dialysis Paper , CPP/PET
 Medical Composite Film
 Packing : 200 Pcs/Box , 1 Roll / Bag

Dental Ultrasonic Cleaner

Model : UC5L-1

Power : 120W

Inner Size: 24*14*15cm Outer Size: 24.5*28.5*21cm

Ref :



Capacity : 5L Temp : 20°C - 80°C
 Frequency : 40,000Hz Heater : Yes
 Packing : 4.5 Kgs

Dental Ultrasonic Cleaner

Model : UC5L-2

Power : 120W

Inner Size: 24*14*15cm Outer Size: 24.5*28.5*21cm

Ref :



Capacity : 5L Temp : 20°C - 80°C
 Frequency : 40,000Hz Heater : Yes
 Packing : 4.5 Kgs

Dental Flosser

Model : AWF01

Feature : Portability and Home Use

Ref : DH001



Waterproof : IPX7 **Capacity :** 160ml
Battery : 1250mAh **Pressure :** 2-140 PSI
Packing : L93*W81*H170mm, 312g

Dental Flosser

Model : AWF02

Feature : Portability and Home Use

Ref : DH002



Waterproof : IPX7 **Capacity :** 180ml
Battery : 1400mAh **Pressure :** 5-120 PSI
Packing : L104*W103*H247mm, 445g

Dental Flosser

Model : AWF03

Feature : Portability and Home Use

Ref : DH003



Waterproof : IPX7 **Capacity :** 160ml
Battery : 1250mAh **Pressure :** 2-140 PSI
Packing : L93*W81*H170mm, 307g

Dental Flosser

Model : AWF04

Feature : Portability and Home Use

Ref : DH004



Waterproof : IPX7 **Capacity :** 120ml
Battery : 1250mAh **Pressure :** 2-140 PSI
Packing : L93*W90*H170mm, 252g

Sonic Electric Toothbrush

Model : AWF01

Feature : Portability and Home Use

Ref : DH005



Waterproof : IPX7 **Material:** ABS
Battery : 1800mAh **Gear:** 5 modes
Vibration Frequency : up to 37,800 times/ Mins

Sonic Electric Toothbrush

Model : AWF02

Feature : Portability and Home Use

Ref : DH006



Waterproof : IPX7 **Material:** ABS
Battery : 1100mAh **Gear:** 5 modes
Vibration Frequency : up to 37,800 times/ Mins

**ENHANCE Universal
Light Cure Composite**

Ref. DR001



Spec : 4g/Syringe
Shade: A1, A2, A3, A3.5, B1, B2,

**ENHANCE Universal
Light Cure Composite**

Ref. DR002



Spec : 4g/Syringe
Shade: White / Extra White

**ENHANCE Flow
Light Cure Composite**

Ref. DR003



Spec : 2g/Syringe
Shade: A1, A2, A3, A3.5, Opaque

**ENHANCE CORE
Dual Cured Core Build Up Material**

Ref. DR004



Spec : 8g Automx Syringe

**PRIMO BOND V
Total Etch Light Cure Adhesive**

Ref. DR005



Spec : 5ml/Bottle

**PRIMO BOND VII
Self Etch Light Cure Adhesive**

Ref. DR006



Spec : 5ml/Bottle

**EDTA
Root Canal Lubrication Gel**

Ref. DR007



Spec : 5g/Syringe

**ENHANCE
Universal Composite Kit 5PCS**

Ref. DR008



Spec : Composite 4g × 5
Primo Bond V × 1
Primo Etch × 1

**SC TEMPCROWN
Temporary Crown and Bridge Materials**

Ref. DR009



Spec : 50ml Cartridge x 1

**ENHANCE
Universal Composite Kit 5PCS**

Ref. DR010



Spec : Composite 4g × 5
Primo Bond V × 1
Primo Etch × 1

**BRILLIANCE Color Changeable
Light Cure Adhesive for
Orthodontic Bracket Intro Kit**

Ref. DR011



Spec : Color Changeable Light Cure Adhesive Paste 4g × 1
Color Changeable Light Cure Adhesive Liquid 3ml × 1
Etchant 5ml × 1

**PRIMOETCH
37% Phosphoric Acid Etchant**


Ref. DR012



Spec : 5ml/Syringe , 12ml/Syringe
20ml/Syringe, 50ml/Syringe

Pro - Super Files Gold Niti Heat Activated

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.




SUPER FILES GOLD NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm or 25 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

Super Files Gold Single or Assorted Sizes 6 pcs/pack ...

RECOMMENDED OPERATION PROCESS	
PROBE	#10 #15
OPENING	SX
SHAPING	S1 S2
	F1 F2 F3
ENLARGING	F4 F5

Pro - Super Files Blue Niti Heat Activated

- Smart varied taper design
- High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.



SUPER FILES BLUE NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm or 25 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

Super Files Blue Single or Assorted Sizes 6 pcs/pack ...

RECOMMENDED OPERATION PROCESS	
PROBE	#10 #15
OPENING	SX
SHAPING	S1 S2
	F1 F2 F3
ENLARGING	F4 F5

Pro - Super Files Colorful Coating Niti Heat Activated

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.




Aurora - S File Rainbow NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	8	0.17
21 mm or 25 mm	S1	2	0.19
	S2	4	0.20
	F1	4	0.25
	F2	6	0.25
	F3	4	0.35

Single or Assorted Sizes 6 pcs/pack ...

RECOMMENDED OPERATION PROCESS	
PROBE	#10 #15
OPENING	SX
SHAPING	S1 S2
	F1 F2 F3

AW - Super Files Gold Niti Head Activated



- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance


- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

AW - Super File NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	10	0.20
21 mm or 25 mm	S1	3	0.18
	S2	4	0.20
	F1	6	0.20
	F2	6	0.25
	F3	6	0.30

Single or Assorted Sizes 6 pcs/pack ...

RECOMMENDED OPERATION PROCESS	
PROBE	#10
	#15
OPENING	SX
SHAPING	S1
	S2
FINISHING	F1
	F2
	F3

AW - Super Files Blue Niti Heat Activated



- Smart varied taper design
- High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation


- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

AW - Super File NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	10	0.20
21 mm or 25 mm	S1	3	0.18
	S2	4	0.20
	F1	6	0.20
	F2	6	0.25
	F3	6	0.30

Single or Assorted Sizes 6 pcs/pack ...

RECOMMENDED OPERATION PROCESS	
PROBE	#10
	#15
OPENING	SX
SHAPING	S1
	S2
FINISHING	F1
	F2
	F3

One File - Reciprocate Niti Heat Activated



- Reciprocating movement
- Use only one instrument for root canal preparation, efficient and time saving
- 3 sizes for different size root canals
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

One Files
Single or Assorted Sizes 6 pcs/pack

ONE FILES NiTi heat activation			
Length	Size	Taper %	Tip (mm)
21 mm or 25 mm	#R25	8	0.25
	#R40	6	0.40
	#R50	5	0.50

ONE FILES	
#R25	
#R40	
#R50	

Inspiring Better Health



AnyWay

Look Your Best, Feel Your Best

GuangZhou ANYWAY Technology Co Ltd
Guangzhou , China

Web : www.liweymed.com
Email: info@liweymed.com , Mob : +86 153 6000 2817



Web FB WA Tk Ins YT Pins X